

NOTICE RE: CERTIFICATES OF CORRECTION

DATE : \_\_\_\_\_

Paper No.: \_\_\_\_\_

TO : Supervisor, Art Unit \_\_\_\_\_

SUBJECT : Certificate of Correction Request in Patent No.: 5654 301

A response to the following question(s) is requested with respect to the accompanying request for a certificate of correction.

- ☐ 1. Would the change(s) requested, under 37 C.F.R. 1.323, correcting Applicant/Attorney's (A or Atty.) errors, constitute new matter or require reexamination of the application?
- ☐ 2. Would the change(s) requested, under 37 C.F.R. 1.323, correcting Applicant/Attorney's (A or Atty.) errors, materially affect the scope or meaning of the claims allowed by the examiner in the patent?
- ☐ 3. Applicant disagrees with change(s) initialed and dated by Examiner in lieu of an Examiner's Amendment. Should the change request be granted?
- ☒ 4. With respect to the change(s) requested, correcting Office and/or printing (O, Off, C, and/or P) errors, should the patent read as shown in the certificate of correction?
- ☐ 5. If the amendment filed \_\_\_\_\_ had been considered by the Examiner, would the amendment have been entered?

**PLEASE RESPOND WITHIN 7 DAYS AND RETURN THE FILE TO**

**PALM LOCATION. 7580,  
CERTIFICATES OF CORRECTION BR, PARK 3 -922,  
Thank you**

Supervisory Legal Instrument Examiner  
Tel. No. 305-8228

PLEASE CHECK THE BOX(ES) BELOW CORRESPONDING TO THE BOXES CHECKED FOR QUESTION(S)

ABOVE AND RETURN FILE TO: PALM LOCATION 7580, CERT. OF CORREC. BR., PK 3 - 922

DATE: \_\_\_\_\_

The decision regarding the change(s) requested in the certificate of correction is shown below.

- |  |                             |   |
|--|-----------------------------|---|
| <input type="checkbox"/> 1. YES            | <input type="checkbox"/> NO | <input type="checkbox"/> Comments below |
| <input type="checkbox"/> 2. YES            | <input type="checkbox"/> NO | <input type="checkbox"/> Comments below |
| <input type="checkbox"/> 3. YES            | <input type="checkbox"/> NO | <input type="checkbox"/> Comments below |
| <input checked="" type="checkbox"/> 4. YES | <input type="checkbox"/> NO | <input type="checkbox"/> Comments below |
| <input type="checkbox"/> 5. YES            | <input type="checkbox"/> NO | <input type="checkbox"/> Comments below |

☐ Comments \_\_\_\_\_

**~~REVIEW~~**

**PUBLISH**

*Approved*

*D. Chaudhuri*

Supervisor

Art Unit

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 5,654,301  
DATED : August 5, 1997  
INVENTOR(S) : Harold Kohn, et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 34,

Line 59: "Ch<sub>3</sub> H)" should read -- C<sub>3</sub> H) --

Line 59: "8.62 Hz" should read -- 8.62 (d,J=7.7 --

Line 60: "H," should read -- Hz, --

Column 35,

Line 15: "form" should read -- formed --

Line 35: "8.89" should read -- 8.99 --

Column 37,

Line 53: "α" should read -- 2 --

Line 60: "or" should read -- of --

Column 38,

Line 65: "13<sub>c</sub>" should read -- 13<sub>c</sub> --

Column 40,

Line 25: "2.33" should read -- 2.23 --

Line 25: "425" should read -- 4.25 --

Line 67: "(M<sup>30</sup>=1)" should read -- (M<sup>+</sup>= 1) --

Column 41,

Line 25: "2-hydroxyamino" should read -- 2-(N-hydroxyamino) --

Column 42,

Line 55: "(M<sup>+</sup> + 100)" should read -- (M<sup>+</sup> + 1,100) --

Column 19,

Line 30: "intraperitoncally" should read -- intraperitoneally --

Column 27,

Line 45: "16 ° " should read -- 169 ° --

Column 28,

Line 56: "7.1.7" should read -- 7.17 --

Column 30,

Line 37: "63" should read -- 6.3 --

Line 64: "785" should read -- 735 --

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 5,654,301  
DATED : August 5, 1997  
INVENTOR(S) : Harold Kohn, et al.

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 31,

Line 21: "cbloroform" should read -- chloroform --  
Line 49: "2.78" should read -- 2.75 --

Column 33,

Line 16: "(D,L)" should read -- (D,L) --  
Line 38: "94:4" should read -- 96:4 --  
Lines 41 & 42: "80" should read -- 8.0 --  
Line 48: "C<sub>3</sub>" should read -- C<sub>6</sub> --

Column 34,

Line 15: "130" should read -- 139 --  
Line 41: "M + 1" should read -- M<sup>+</sup> + 1 --

Column 43,

Lines 21 & 49: "acetamido" should read -- acetamide --  
Line 59: "1.84" should read -- 1.84 --

Column 44,

Line 46, "n" should read -- a --  
Line 46: "ethoxyacetamido" should read -- ethoxyacetamide --  
Line 65: "acetamido" should read -- acetamide --

Column 45,

Line 18: after "spectrum" insert -- (FD) --  
Line 39: "7.5" should read -- 7.52 --  
Line 56: "73.3" should read -- 7.33 --

Column 46,

Line 25: "CH<sub>3</sub> Cl<sub>2</sub>," should read -- CH<sub>2</sub> Cl<sub>2</sub> --

Column 49,

Lines 57-58: "O-methylhydroxyamino" should read -- O-dimethylhydroxyamino --

Column 50,

Line 40: "149" should read -- 14.9 --

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 5,654.301  
DATED : August 5, 1997  
INVENTOR(S) : Harold Kohn, et al.

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 51,

Line 24: "accetamido" should read -- acetamide --

Line 38: "Dicacetamido" should read -- Diacetamide --

Line 46: "and-was" should read -- and was --

Column 52,

Line 16: "166.3.9" should read -- 166.39 --

Column 54,

Line 16: "Time" should read -- The --

Column 55,

Line 7: "H" should read -- It --

Column 56,

Line 55: "C<sub>1</sub>" should read -- C<sub>12</sub> --

Line 66: "while" should read -- white --

Line 66: "alter" should read -- after --

Column 58,

Line 30: "dr" should read -- dt --

Column 59,

Line 62: after "1.89" insert -- (s, --

Line 63: Delete -- (s, --

Column 60,

Line 4: "1" should read -- 91 --

Column 61,

Line 30: "(C<sub>2</sub>), H" should read -- CH<sub>2</sub>), --

Column 63,

Line 38: "add" should read -- acid --

Column 65,

Line 10: "8.62" should read -- 8.61 --

Line 21: "arthydride" should read -- anhydride --

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 5,654,301  
DATED : August 5, 1997  
INVENTOR(S) : Harold Kohn, et al.

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 66,

Line 34: "600" should read -- 670 --

Column 67,

Line 22: "63.72" should read -- 63.22 --

Line 63: "170.30" should read -- 170.03 --

Line 66: "N<sub>402</sub>" should read -- N<sub>4</sub> O<sub>2</sub> S --

Column 68,

Line 9: "while" should read -- white --

Line 67, "1.80" should read -- 181 --

Column 69,

Line 8: "176.5" should read -- 176.33 --

Lines 45-46: "Found: C,60.90: C, 61.16; H, 587; N, 1358.H, 5.77; N, 13.35." should read -- C, 61.16;H, 5.87; N, 13.58. Found: C, 60.90; H,5.77;N, 13.35. --

Line 57: "29o" should read -- 2o --

Column 70,

Line 41: "2g" should read 2q --

Column 76,

Line 3: "BF3" should read -- BF<sub>3</sub> --

Line 37, "NHH" should read -- NHH' --

Column 81,

Line 47: "imidazo" should read -- imidazoyl --

Column 82,

Line 6: "38.0 . 56.0" should read -- 38.0-56.0 --

Column 83,

Line 15: "CH<sub>2</sub> CH<sub>6</sub> H<sub>5</sub>" should read -- CH<sub>2</sub>C<sub>6</sub> H<sub>5</sub> --

Column 84,

Line 63: "206" should read -- 205 --

Column 86,

Line 47: "95" should read -- 9.5 --

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 5,654,301  
DATED : August 5, 1997  
INVENTOR(S) : Harold Kohn, et al.

Page 5 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 88, claim 1:

Line 24, "SO<sub>3</sub><sup>31</sup>" should read -- SO<sub>3</sub> --

Column 89, claim 10:

Line 26, "O" should read -- A and Q --

Column 90, claim 14:

Line 28, "R<sub>1</sub>" should read -- R<sub>2</sub> --

Column 90, claim 17:

Line 46, "1-15wherein" should read -- 1-16 wherein --

Column 90, claim 20:

Line 60, "1-15" should read -- 1-19 --

Signed and Sealed this

Twenty-seventh Day of November, 2001

Attest:

*Nicholas P. Godici*

Attesting Officer

NICHOLAS P. GODICI  
Acting Director of the United States Patent and Trademark Office